	Application No.	Applicant(s)
	Application No.	Applicanitis)
Notice of Allemahility	10/786,492	BICKER ET AL.
Notice of Allowability	Examiner	Art Unit
	Tamiko D. Bellamy	2856
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>5/25/04</u> .		
2. The allowed claim(s) is/are 1-16.		
3. The drawings filed on are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendn	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. Other	

Application/Control Number: 10/786,492 Page 2

Art Unit: 2856

DETAILED ACTION

Priority

1. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in German Application Serial No. 103 08 198.4-52, on 25 February 2003. It is noted, however, that applicant has not filed a certified copy of the German application as required by 35 U.S.C. 119(b).

Allowable Subject Matter

2. Claims 1-16 are allowed.

The following is an examiner's statement of reasons for allowance:

Re to claim 1, the independent claim includes "closing the capillary over an entire cross section" in combination with the remaining claim limitation is not taught and/or made obvious by the prior art.

Re to claim 3, the independent claim includes "the closing device being movable from a measuring position to a locking position "in combination with the remaining claim limitation is not taught and/or made obvious by the prior art.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Application/Control Number: 10/786,492

Art Unit: 2856

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Tamiko D. Bellamy whose telephone number is (571) 272-2190.

Page 3

The examiner can normally be reached on Monday - Friday 6:30 AM to 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Hezron Williams can be reached on (571) 272-2208. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tamiko Bellamy

イ.ら. August 24, 2004

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800